
Montageanleitung | Instructions de montage Assembly Instructions| Instrucciones de montaje

SKU NUMBER: N623P520277
N623P520278
N623P520279



GB

This set comes in 3 boxes. If you do not receive a full set of 3 boxes, please contact our customer service.

DE

Dieses Set wird in 3 Schachteln geliefert. Wenn Sie nicht ein komplettes Set von 3 Boxen erhalten, kontaktieren Sie bitte unseren Kundenservice.

FR

Ce set est livré en 3 boîtes. Si vous ne recevez pas un jeu complet de 3 boîtes,veuillez contacter notre service clientèle.

English

IMPORTANT FOR GAS LIFT BEDS&MAINTAINCE

- Please place the mattress on top of the bed frame.
- Please do not pull on the strap handles.
- Please press heavily to release the compressed gas.
- Periodically check all screw & fixings to ensure they are secure.
- When moving your product, carefully lift into place.
- Wipe clean with a slightly damp cloth–please do not use abrasive chemicals or bleach.
- Do NOT allow children to operate the lift mechanism.
- Do NOT allow children near the lift base when operating the mechanism.
- Do NOT stand inside the bed or the internal storage base.
- Do NOT overload the internal storage base.
- DO NOT jump on the product or any of its parts.

Deutsch

WICHTIG FÜR GASLIF－BTETTEN&WARTUNG

- Bitte legen Sie die Matratze oben auf den Bettrahmen.
- Bitte ziehen Sie nicht an den Gurtgriffen.
- Bitte drücken Sie kräftig, um das komprimierte Gas freizusetzen.
- Überprüfen Sie regelmäßig alle Schrauben und Befestigungen, um sicherzustellen, dass sie sicher sind.
- Wenn Sie Ihr Produkt bewegen, heben Sie es vorsichtig an seinen Platz.
- Mit einem leicht feuchten Tuch abwischen －bitte keine scheuernden Chemikalien oder Bleichmittel verwenden.
- Erlauben Sie Kindern NICHT, den Hebemechanismus zu bedienen.
- Lassen Sie Kinder NICHT in die Nähe des Liftsockels, wenn Sie den Mechanismus bedienen.
- Stellen Sie sich NICHT in das Bett oder in die Innenablage.
- Überlasten Sie den internen Liftsockel NICHT.
- Springen Sie NICHT auf das Produkt oder eines seiner Teile.

Français

IMPORTANT POUR LES LITS À RELEVAGE DE GAZ&MAINTENANCE

- Veuillez placer le matelas sur le dessus du cadre de lit.
- Ne tirez pas sur les poign ées de la sangle.
- Appuyez fortement pour libérer le gaz comprimé.
- Vérifiez régulièrement que toutes les vis et fixations sont bien en place.
- Lorsque vous déplacez votre produit, soulevez–le avec précaution pour le mettre en place.
- Nettoyez avec un chiffon légèrement humide －n'utilisez pas de produits chimiques abrasifs ou d'eau de Javel.
- Ne laissez pas les enfants utiliser le mécanisme de levage.
- Ne laissez pas les enfants s'approcher de la base de levage lorsqu'ils actionnent le mécanisme.
- Ne vous tenez PAS à l'intérieur du lit ou de la base de stockage interne.
- Ne surchargez pas la base de stockage interne.
- Ne pas sauter sur le produit ou l’ une de ses parties.

Italiano


IMPORTANTE PER I LETTI CON SOLLEVAMENTO A GAS E LA MANUTENZIONE


- Posizionare il materasso sopra la struttura del letto.
- Non tirare le maniglie della cinghia.
- Premere con forza per rilasciare il gas compresso.
- Controllare periodicamente tutte le viti e i fissaggi per assicurarsi che siano saldi.
- Quando si sposta il prodotto, sollevarlo con cautela.
- Pulire con un panno leggermente umido, senza usare prodotti chimici abrasivi o candeggina.
- NON permettere ai bambini di azionare il meccanismo di sollevamento.
- NON permettere ai bambini di avvicinarsi alla base di sollevamento quando si aziona il meccanismo.
- NON sostare all'interno del letto o della base di contenimento interna.
- NON sovraccaricare la base di contenimento interna.
- NON saltare sul prodotto o sulle sue parti.


Español

IMPORTANTE PARA LAS CAMAS ELEVADORAS DE GAS&MANTENIMIENTO







- Coloque el colchón sobre el somier.
- No tire de las asas de la correa.
- Presione con fuerza para liberar el gas comprimido.
- Compruebe periódicamente que todos los tornillos y fijaciones estén bien sujetos.
- Al mover el producto, lev ántelo con cuidado para colocarlo en su sitio.
- Limpie con un paño ligeramente humedecido; no utilice productos quí micos abrasivos ni lejí a.
- NO permita que los niños accionen el mecanismo de elevación.
- NO permita que los niños se acerquen a la base elevadora cuando accionen el mecanismo.
- NO se ponga de pie dentro de la cama o de la base de almacenamiento interna.
- NO sobrecargue el somier.
- NO salte sobre el producto ni sobre ninguna de sus piezas.










34
39
26
28
37
12
3
2
25
23
26
22
31
35
27
1
5
7
13
27
14
4
29
19
16
40
10
18
21
16
14
30
15
11
20
21
31
17
19
24
20
13
21
17
10
6
33
21
15
32
29
25
36
9
35
8
30
38
36
42
41












N623P520277

①		1 pc	⑨		1 pc
⑭		2 pcs	⑮		2 pcs
⑯	 short	2 pcs	⑰	 long	2 pcs











N623P520278

②		1 pc	③		1 pc
④		1 pc	⑩		2 pcs









N623P520278

11		1 pc	12		1 pc
13		2 pcs	18		1 pc
19		2 pcs	20		2 pcs
21		4 pcs	22		1 pc
26		2 pcs	27		2 pcs
28		6 pcs	29		2 pcs










N623P520278

30		2 pcs	31		2 pcs
33		1 pc	34		24 pcs
35		8 pcs	36		2 pcs
37		1 pc	39		12 pcs
40		1 pc	41		1 pc
42		1 pc			


N623P520279

⑤		1 pc	⑥		1 pc
⑦		1 pc	⑧		1 pc
23		1 pc	24		1 pc
25		2 pcs	32		1 pc
38		1 pc			


Hardware List-Hardware-Liste-Liste du matériel
N623P520278A

A	 M3.5x12	2 pcs	B	 M8x12	4 pcs
C	 M8x15	40 pcs +4	D	 M8x25	18 pcs +1
E	 M8x35	42 pcs +4	F	 M8x45	4 pcs
G	 M8	22 pcs +2	H	 S5	1 pc
I	 S13	1 pc			


1



M3.5x12
A*2pcs




S5
H*1pc



2




M8x12
B*4pcs





S5
H*1pc


3	M8x15 C*2pcs	M8x35 E*2pcs	S5 H*1pc



4	M8x15 C*4pcs	S5 H*1pc





5
M8x25
D*6pcs
M8x35
E*2pcs
S5
H*1pc
3&4
28
D
E
D
D
4
2
1
D
3&4
2
E
E
22
D
D
3&4
22
D
D
3


6
M8x15
C*2pcs
M8x35
E*2pcs
S5
H*1pc
C
26
E
12
22
26
C
22
E
12
26
E
C
26


7


STEP 2

STEP 1



8






9




M8x35
E*4pcs



S5
H*1pc


Tighten the screws to 90%




10



M8x15
C*8pcs



S5
E*1pc



11




M8x35
E*4pcs



S5
H*1pc


Tighten the screws to 90%



12




M8x15
C*4pcs




S5
H*1pc


13




M8x45
F*2pcs




S5
H*1pc



14




M8x15
C*4pcs



S5
H*1pc


15


M8x15 C*8pcs	M8x35 E*2pcs	S5 H*1pc




16

M8x35 E*2pcs	M8 G*2pcs	S13 I*pc	S5 H*1pc





17
M8x35
E*2pcs
M8
G*2pcs
S13
I*1pc
S5
H*1pc
14
19
15
E
E
G
G
E
E
G
14
15
G


18
M8x35
E*8pcs
M8
G*8pcs
S13
I*1pc
S5
H*1pc
13
14&15
13
14
15
14
32
13
15
13
E
E
32
13
G
G
14&15


19



M8x35
E*8pcs



S5
H*1pc




X2

20




M8x25
D*8pcs




S5
H*1pc

21


M8x35 E*6pcs	M8 G*4pcs	S13 I*1pc	S5 H*1pc




22




23


M8x25
D*4pcs



M8x45
F*2pcs


M8
G*2pcs



S13
I*1pc



S5
E*1pc


STEP 1




STEP 2











Tighten the screws to 100%
after adjusting to the proper position.

24



M8
G*4pcs


S13
I*1pc







25



26




27



Scan the QR code to
control the lights via Bluetooth.

28



LotusLantern APP Manuel

1. Aperçu du logiciel

1.1 Aperçu

LotusLantern est une application mobile permettant de contrôler une bande LED via des téléphones iOS et Android.

Les méthodes de contrôle traditionnelles telles que l'infrarouge, le 433MHz, le 2,4GHz et d'autres anciennes méthodes filaires seront remplacées par la méthode de contrôle par téléphone portable, qui présente des fonctionnalités pratiques, puissantes et extensibles.

Grâce à cette application mobile, vous pouvez non seulement contrôler la couleur, la luminosité et la température de couleur des rubans LED, mais aussi configurer toutes sortes de modes de clignotement fantaisistes. De plus, cette application peut modifier la lumière du ruban LED en fonction du rythme de la musique. Cette application peut configurer et contrôler plusieurs rubans LED via Bluetooth, et son fonctionnement est très simple, facile à apprendre et à utiliser.

1.2 Fonctionnalités

- Ajustez les rubans LED colorés avec 60,000 couleurs pour changer de couleur et de luminosité, et ajustez les rubans LED monochromes pour modifier la luminosité et la température de couleur.
- Jouez de la musique ou allumez un dispositif de lecture sonore, vous pouvez faire en sorte que la lumière change de couleur et de luminosité selon le rythme de la musique, le rythme musical est beau
- Mode de configuration multiple pour changer la couleur et contrôler les bandes LED sans téléphone portable
- Contrôle à longue distance avec antenne omnidirectionnelle et mode de contrôle de groupe multidispositif bidirectionnel
- Une fois la connexion réussie, se connecter automatiquement la prochaine fois

1.3 Performance

LotusLantern APP est facile à utiliser et hautement compatible avec toutes sortes de smartphones ; après des tests réels et des vérifications sur des centaines de téléphones portables, sa compatibilité dépasse 95 % des téléphones sur le marché. L'APP est petite et pratique, elle consomme peu de ressources système, donc les exigences en matière de configuration mobile sont faibles. Le délai de contrôle est faible, la sensation d'utilisation est bonne, et la commande de lumière est fluide, correspondant au sens visuel des gens.

2. Environnement opératoire

Cette application nécessite des téléphones avec un système d'exploitation supérieur à Android 4.3 et iOS 8.0. La configuration du téléphone n'est pas limitée.

3. Instructions

Remarque : La version Android et la version iOS sont téléchargées et utilisées de la même manière ; ici, nous prenons la version Android comme exemple.

3.1 Téléchargement de l'APP

Scanner le code QR

Les systèmes iOS et Android peuvent télécharger l'application "LotusLantern" en scannant le code QR. Ouvrez le navigateur ou d'autres outils dotés de la fonction "Scanner le code QR", puis scannez le code QR de "LotusLantern" ci-dessous :

LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both IOS and Android phones.
The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP , you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode ; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible with all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feels good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Andriod 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.

3.1 APP Download


Scan the QR code
iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:

3.2 Fonctionnement de l'application


(1)Cliquez sur l'icône de l'application LotusLantern, accédez à la page de l'application :



(2) Après avoir accédé à l'interface de l'application, si le Bluetooth n'est pas activé, "une application souhaite activer le Bluetooth"fonction de cet appareil." Cliquez sur [Autoriser]



(3)Passer à l'interface de couleur et de luminosité :




3.2 App Operation


(1) Click on the LotusLantern APP icon, enter the APP page:




(2) After entering the APP interface, if Bluetooth is not enabled, "an application wants to enable the Bluetooth function of this device." Click [Allow]




(3) switch to color and brightness interface:



(4) cliquez pour afficher la liste des lampes, consulter la liste des lampes :



(5) Cliquez pour accéder à la vue de réglage manuel RGB :




(6) passez à l'interface de mode :




(7) Passez à l'interface de rythme musical :




(8) Passez à l'interface de musique en ligne :




(4) click to show the lamp list, view lamp list:




(5) Click to RGB manual adjustment view:




(6) switch to the mode interface:




(7) switch to the music rhythm interface:



(8) Switch to the online music interface:




(9) Passez à l'interface rythmique du microphone :



Basculez le microphone du téléphone et le microphone externe

Rythme musical via le microphone du téléphone portable




rythme à 4 styles

Changez la sensibilité du MIC pour correspondre au son

Rythme musical via le microphone sur le produit

(10) Passez à l'interface d'horaire :



Activer ou désactiver la fonction Light-On

Réglage de l'heure d'allumage de la lumière


Répétez le réglage Aucune sélection une fois Allumé

Activer ou désactiver la fonction Light-Off

Réglez l'heure de extinction des lumières

Répétez le réglage Aucune sélection une fois pour l'extinction de la lumière


(11) Passez à l'interface de modification de la séquence de code PIN :




Cliquez pour enregistrer le nouveau devoir

Changez la vraie couleur de cette ligne

(9) Switch to the microphone rhythm interface:




Music rhythm through cell phone microphone




Music rhythm through the microphone on the product

(10) Switch to the schedule interface:



(11) Switch to the modify pin sequence interface:



Test Verification of Conformity

Verification Number: 251222265GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

This document can be used in support of a claim in meeting relevant 2014/53/EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Shenzhen Xu Xing Technology Co., LTD. Floor 3, Building C, Huaze Hi Tech Industrial Park, Shiyan Street, Bao'an District, Shenzhen, Guangdong, China
Product Description:	Fixed general purpose luminaires
Ratings & Principal Characteristics:	For power supply: 100-240 V~; 50/60 Hz; class II; IP20; For luminaire: Class III; IP20; ta 60℃; 5 Vdc; XX5050RGB-01; XX5050RGB-60D: 4.8 W; Non replaceable LED module; XX5050RGB-02: 4 W;Non-user replaceable LED module;
Models/Type References:	XX5050RGB-01, XX5050RGB-60D, XX5050RGB-02
Brand Names:	--
Specification<s>/Standards:	EN 61000-3-3:2013+A1:2019+A2:2021 EN 62479:2010 EN IEC 55015:2019+A11:2020 EN IEC 61000-3-2:2019+A1:2021+A2:2024 EN IEC 61547:2023 ETSI EN 300 220-2 V3.3.1 (2025-03) ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-3 V2.3.2 (2023-01)
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	13 April 2026 - 15 April 2026
Test Report Number(s):	251222265GZU-001, 251222265GZU-002, 251222265GZU-003, 251222265GZU-004

Dean Liu

Signature

Name: Dean Liu
Position: Sr. Project Engineer
Date: 01 June 2026

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

This certificate is responsible for testing sample only.
Please refer to this corresponding test report to get testing process and data.

CERTIFICATE

ATTESTATION
Certificate of Compliance

Technical file of the company mentioned below has been inspected and audit has been completed successfully

The RoHS Directive 2015/863/EU amending Annex II to Directive 2011/65/EU has been taken as references for these processes.

Certificate's Holder	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Manufacturer	:	Shenzhen xu xing technology co., LTD
Address	:	Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street,Bao'an District, Shenzhen
Product Name:	:	XX LED RGB STRIP
Model No.:	:	XX5050RGB-60D, 5V-5050RGB-30D, 5V-5050RGB-60D, 12V-5050RGB-60D, 12V-5050RGB-30D, DY05RGB122, DY05RGB140, DY05RGB88
Trade Mark	:	N/A
Related Directive	:	Directive 2015/863/EU amending Annex II to Directive 2011/65/EU Directive (EU)2017/2102 amending Annex III to Directive 2011/65/EU
Test Method	:	IEC 62321-2:2021, IEC 62321-3-1:2013, IEC 62321-5:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-6:2015, IEC 62321-8:2017
Certificate Number	:	HK25090210619R
Report No.	:	HK25090210619-1RR
Issue date	:	October 20, 2025

Jason Wu
Certification Manager

HUAK TESTING REPORT CERTIFICATION APPROVAL

The information of the certificate can be checked through www. huak.com. The CE mark which is shown on the certificate can only be used under the conditions that the products complete with all of the relevant Directives of EC Declaration of Conformity. The Manufacturer should be responsible for the internal production control so that the products complied with the essential requirements of the above mentioned Directive(s). Certificate holder must notify all changes to the original certification laboratory of HUAK.

RoHS

Shenzhen HUAK Testing Technology Co., Ltd.
Add.:1-2/F, B2 Building, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, China
Tel.:+86-0755-2302 9901 E-mail:info@huak.com Website:https://www.huak.com

CERTIFICATE OF CONFORMITY

Certificate No.: CBT260526032EC

Certificate of Conformity

Applicant	:	**DONGGUAN BAIYOU ELECTRONIC CO.,LTD** 2F A Building Wufeng Industrial, Jintan Road, Shijie Town, 523290 Dongguan City, PEOPLE'S REPUBLC OF CHINA
Product	:	**Recessed USB Socket**
Model(s)	:	**BY218-10**
Trademark	:	**N/A**
Test Standard	:	**EN 55032:2015+A11:2020+A1:2020** **EN 55035:2017+A11:2020** **EN IEC 61000-3-2:2019+A1:2021+A2:2024** **EN 61000-3-3:2013+A1:2019+A2:2021**

The Certificate of Conformity is based on an evaluation of a sample of the above mentioned products. It does not imply an assessment of the whole production.it complies with this directive, the EMC Directive 2014/30/EU. It is only valid in connection with the test report number: CBT260526032E.

SHENZHEN CABLETEK COMPLIANCE LABORATORY LIMITED
CABLETEK
Approved
Manager
June 12, 2026

Shenzhen CABLETEK Compliance Laboratory Limited
101, Building A, No.53 Pingxin North Road, Shangmugu Community,
Pinghu Street, Longgang District, Shenzhen

Tel: 400 666 1146 E-mail:cbt@cabletek.cn Web: www.cabletek.cn

VERIFICATION OF CONFORMITY for RoHS Directive (2011/65/EU)

Reference No. VoC-RoHS: COBO26050543 **Issue Date: Jun.10, 2026**

Company Name	:	DONGGUAN BAIYOU ELECTRONIC CO.,LTD
Address	:	2F A Building Wufeng Industrial, Jintan Road, Shijie Town, 523290 Dongguan City,PEOPLE'S REPUBLC OF CHINA
Manufacturer	:	DONGGUAN BAIYOU ELECTRONIC CO.,LTD
Address	:	2F A Building Wufeng Industrial, Jintan Road, Shijie Town, 523290 Dongguan City,PEOPLE'S REPUBLC OF CHINA
Sample Name	:	Recessed USB Socket
Sample Model	:	BY218-10
As shown in the report	:	COBO26050543

Conclusion:

The assessed sample made available complies with the limits of Pb, Hg, Cd, Cr(VI), PBBS, PBDES,DEHP.BBP,DBP, DIBP as set by RoHS Directive (EU) 2015/863 amending Annex Ⅱ to Directive 2011/65/EU.

Sufficient samples of the product have been analysed according to the following scope: Pb, Hg, Cd, Cr (VI),PBBS,PBDES,DEHP,BBP,DBP,DIBP according to standard IEC 62321-1:2013,IEC 62321-2:2021,
IEC 62321-3-1:2013,IEC 62321-4:2013+A1:2017,
IEC 62321-5:2013,IEC 62321-6:2015,IEC 62321-7-1:2015,
IEC 62321-7-2:2017 & ISO 17075-1:2017,IEC 62321-8: 2017,
IEC 62321-12:2023

RoHS

Signed for and on Behalf of COBO

Sam Xie / Technical Manager

Guangdong TiCobo Testing Co., Ltd.
EA601, Yishili Building, No.9, Zongbu 2nd Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
Tel:86-769-26622263 Fax:86-769-26622012

This Verification of Conformity is based on analysis of the product, component or material and verifying the documentation being accordance with the provisions of the Directive (EU)2015/863 amending Annex I to Directive 201 1/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment. it does not imply an assessment of the production. No amounts above the limits of these substances have been detected or if so specific exemptions are applicable

This result relates only to the item(s) tested. Other CE marking directives may apply but have not been considered during the RoHS assessment.

This Verification of Conformity does not give the right to use any GUANGDONG TI COBO TESTING CO.,LTD. mark on products, components or materials, their packaging or any marketing material or activities

The CE mark can be used under the responsibility of the relevant finished-product manufacturer, after completion of an EU Declaration of Conformity and compliance's with all relevant EU Directives.

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
EmailURL Adresse de courriel	https://www.decobusgroup.de
Hersteller Fabricant	Dongguan Baiyou Electronics Co.,Ltd
Adresse	2nd Floor,Building A,Wufeng industrial Zone,No.21Jintan Road, Danwu Village,Shijie Town, Dongguan City,Guandong Province
EmailURL Adresse de courriel	262762219@qq.com
Partienummer Numéro de partie	C391TDA20260601LD
Hergestellt in Fabriqué en	China Chine
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de
CE	Produkt /Nom du produit:Recessed USB Socket Modell/Modele: BY218-10 Nennspannung/Tension nominale:DC 5V2A Nennfrequenz/Frequence nominale:USB-C: DC 5V2A; USB-A: DC 5V2A Leistung/Puissance: 5W±5%

Importeur	Decobus Handel GmbH
Adresse	Innungsstraße 9, 21244 Buchholz, Deutschland
EmailURL Adresse de courriel	https://www.decobusgroup.de
Hersteller Fabricant	Shenzhen Xuxing Technology Co., Ltd.
Adresse	3rd Floor, Building C, Huaze High-techIndustrialPark, No. 108 Zhoushi Road, Shiyan Sub-district,Bao' an District, Shenzhen,GuangdongProvince,
EmailURL Adresse de courriel	www.szxxkj-led.com
Partienummer Numéro de partie	C391TDA20260601LD
Hergestellt in Fabriqué en	China Chine
EC REP	Decobus Handel GmbH Innungsstraße 9, 21244 Buchholz, Deutschland https://www.decobusgroup.de
CE	Produkt /Nom du produit:LED strip light Modell/Modele: XX5050RGB-60D Nennspannung/Tension nominale:5V Nennfrequenz/Frequence nominale:50Hz/60Hz Leistung/Puissance: 5W±5%