

VEVOR

Upgrade · The Home Creator Way

VOLTAGE CONVERTER

**MODEL:HYMG-3000VA/ HYMG-5000VA/ HYMG-6000VA/
HYOG-3000VA/ HYOG-5000VA/ HYOG-6000VA**

VEVOR Support Center

1	HYMG-3000VA		2	HYOG-3000VA	
3	HYMG-5000VA		4	HYOG-5000VA	
5	HYMG-6000VA		6	HYOG-6000VA	

VEVOR

Upgrade The Home Creator Way

**MODEL: HYMG-3000VA/ HYMG-5000VA/ HYMG-6000VA/
HYOG-3000VA/ HYOG-5000VA/ HYOG-6000VA**



(The picture is for reference only, please refer to the actual object)

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

	Warning-To reduce the risk of injury, user must read instructions manual carefully.
	This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheeled bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices

The product complies with relevant standards and regulations. Installation of this device must comply with all applicable regulations, and it should only be operated in well-ventilated areas. Please read the user manual before installing and using this equipment.

This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

Children shall not play with the appliance.

This appliance shall not be used by children. Keep the appliance and its cord out of reach of children.

Please properly keep product. Check whether the product is abnormal before use. If it is abnormal, please stop using it.

Please use the product according to the intended use, warn of potential injury from misuse.

Switch off the appliance and disconnect from supply before changing accessories or approaching parts that move in use.

always disconnect the appliance from the supply if it is left unattended and before assembling, disassembling or cleaning.

WARNING: Only use the supply unit provided with this appliance.

"Before use, confirm input voltage matches local mains voltage. Do not connect to voltage exceeding the rating, as it may cause fire or failure.

This converter is for indoor dry use only. Do not use in rain, damp or wet locations.

Do not overload. Output power must not exceed rated power. Do not connect too many devices at the same time.

Disconnect power before wiring, installation or moving. Do not operate with power on.

The converter must be properly grounded. Do not use without grounding.

Do not disassemble, modify or repair this device. Unauthorized service may cause electric shock or fire.

Use only for appliances specified on the label. Do not use for medical equipment, life support systems, safety control devices or critical applications.

Stop use immediately if power cord or plug is damaged. Replace by qualified personnel only.

Do not cover or block ventilation holes. Keep well-ventilated and away from flammable materials during use.

If abnormal noise, odor, smoke or overheating occurs, disconnect power immediately.

Keep out of reach of children. Untrained persons must not operate.

Do not place in unstable or vertical position to prevent falling or short circuit.

For use with rated frequency (50/60Hz) appliances only. Not suitable for variable frequency or inductive loads (e.g. motors) unless marked.

Case may become warm during operation. This is normal; do not touch hot surfaces.

In case of short circuit or tripping, check load appliances before restarting."

ATTENTION

The voltage input range of this product can be selected by toggle switch, please check that the voltage of the mains and the switching voltage of the product should be consistent before powering on.

1.PRODUCT PARAMETERS

Model	HYMG-3000VA	HYMG-5000VA	HYMG-6000VA	HYOG-3000VA	HYOG-5000VA	HYOG-6000VA
Input voltage	AC110V±15% or AC 220V±15%					
Output voltage	AC110V±15% and AC 220V±15%					
Output power	3000VA	5000VA	6000VA	3000VA	5000VA	6000VA
Overload protector	28A	45A	50A	28A	45A	50A
Operating temperature	-30℃~55℃					
relative humidity	5%~95%					

2.DIRECTIONS FOR USE

1. Plug directly into the local power supply (For the first use, power on and wait for five minutes if there is no abnormality.)

Automatically identifies 110V±15% or 220V±15% input voltage, and then outputs the correct voltage required by your device.

2. Keep the transformer and the electrical appliances used off, transfer the electrical appliances to the output socket of the transformer, and then start the transformer for use

3. It is recommended that the converter should not be used at full load, and the power of the electrical appliance should not be exceeded 80% of the indicated power is used.

PRODUCT PARAMETERS	
Voltage	Any voltage input can be 110V±15% or 220V±15%, and the smart chip will automatically identify various input voltages
	Will output the correct voltage required by your electrical equipment
Ratings	50/60HZ

USE

Bidirectional transformer: suitable for mainland China, Hong Kong, Taiwan, the United States, Japan, South Korea, Europe, etc. It is a universal version for all regions. It is widely used in domestic and foreign electrical appliances.

SECURITY

1. Temperature control and overheating protection
2. Short-circuit protection
3. Grounding protection

CLEANING AND MAINTENANCE

1. If you do not use it for a long time, please pull the power plug away from the socket, and do a good job of moisture-proof and dust-proof protection.
2. Please do not let metal objects fall into the body to prevent short circuit and electric shock danger in the line.
3. When cleaning this product, unplug the power plug first, test it with a warm towel that depurifies the water, and do not drip water into the machine during operation to avoid the risk of electric shock.

WARN

1. The total power of the electrical appliances used should not exceed the rated capacity of this product (80% of the applicable power)
2. When the overload protector button pops up (automatically cuts off the

power supply), it prompts over current, overheating, short circuit, etc. You can manually reset the protector after lowering the load to normal temperature to restart.

3. Please avoid placing this product near explosives and flammable materials.

PRECAUTIONS

1. Please pay attention to the safety of electricity when using this product.
 2. Please stay away from water sources and places prone to fogging, and keep a certain distance from faucets and gas stoves when using them in the kitchen.
 3. Pay attention to ventilation and heat dissipation when using the transformer, please avoid using it in narrow closed places and places with direct sunlight.
 4. Do not modify or process the transformer without authorization.
 5. Please cut off the power switch after use
-

USE THE FAULT AND HOW TO DEAL WITH IT

FAULT	CAUSE	SOLUTION
NOT WORKING	The electrical outlet to which the product is connected may not have electricity.	Make sure the outlet is powered on
	The product may be over-current or over-heated, causing the overload protector to be activated and automatically cut off the power supply	Make sure the power of the electrical appliance does not exceed the rated power of the transformer .After sufficient heat dissipation (normal temperature), manually press the overload protector button.
	Machine protection starts (machine circuit breaker automatically trips)	Ensure that the load power does not exceed the transformer power, and that the line is connected correctly without short circuit.

