

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

SWINGING DOORS

MODEL: SS-door2-WH-4/SS-door2-NA-5/

SS-door2-NA-6/SS-door2-WH-7

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually Saving Half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

SWINGING DOORS

MODEL:



SS-door2-WH-4

SS-door2-WH-7



SS-door2-NA-5

SS-door2-NA-6

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate

www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Safety Instructions



Read and understand this entire manual before assembling, installing, operating, or servicing this product. Failure to follow these warnings and instructions can cause personal injury or damage to valuable property.




WARNING:

1. Do not draw, cut, or use sharp objects on the swinging doors to avoid damage.
2. If you need to disassemble the swinging doors, please follow the reverse steps to disassemble it and store it properly.
3. Clean the swinging doors regularly to keep it clean and fresh, you can use a vacuum cleaner or damp cloth to gently wipe the swinging doors.

Maintenance Guide

1. Regularly clean the swinging doors, use a damp cloth to wipe the surface, and remove dust and dirt.
2. Avoid using corrosive cleaning agents or chemical solvents to clean the swinging doors.
3. If the swinging doors is found to be damaged, please replace the swinging doors handles piece in time to ensure its normal use.


SAVE THESE INSTRUCTIONS

Part List		
A		2
B		4
C	 (M4*25)	32
D	 (Representative Graph)	1
E	 (Representative Graph)	1
F	 (M5*68)	6
G		6

H		8
I		1


Product Installation

Step1:Mounting hinge.




Step2:Mounting door panel.

Note: The door panel should be flush with the door frame strip.



Step3:Install the swinging door on the door frame.



Step4: Adjusting hinge.

		
A.Insert the wrench into the hinge.	B.Swivel wrench adjusts hinge elasticity and inserts latch.	C.Select different holes to insert the latch to obtain different closing speeds.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

UK	REP
----	-----

YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

EC	REP
----	-----

E-CrossStu GmbH
Mainzer Landstr.69,
60329 Frankfurt am Main.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support