



Upgrade · The Home Creator Way

PLASTIC FUEL CADDY

MODEL: YHM-120D / YHM-120G

VEVOR Support Center



YHM-120D



YHM-120G



YHM-120D



YHM-120G

NOTE: The image is for reference only; please refer to your purchase for configuration.

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

GENERAL SAFETY RULES

1. Warning-To reduce the risk of injury, user must read instructions manual carefully.
2. The product complies with relevant standards and regulations. Installation of this device must comply with all applicable regulations, and it should only be operated in well-ventilated areas. Please read the user manual before installing and using this equipment.
3. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
4. Children shall not play with the appliance.
5. This product shall not be used by children. Keep the product and its cord out of reach of children.
6. This product is intended to be used in household and similar applications such as:For refueling of garden machinery, small yachts/motorboats, generators, and small cars.
7. Please properly keep product. Check whether the product is abnormal before use. If it is abnormal, please stop using it.
8. Please use the product according to the intended use, warn of potential injury from misuse.

When using this product, basic precautions should always be followed, including the following;

- This product is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities or lack of experience and knowledge unless they have been given supervision or instruction concerning the use of the product by a person responsible for their safety.
- Wear proper protective equipment when installing or using this product.
- Ensure all fittings and threaded connections are tightened and leak-free before operating.

⚠ WARNING DANGER!

Fuels are extremely flammable. Keep away from heat sparks and open flames.

- Do not use electronics or mobile communications devices such as mobile phones when pumping flammable liquids.
- Attach ground wire and bond containers that are being pumped from and into. Ground all containers to a known ground source to dissipate static electricity before pumping liquids. Dissipate any static electricity from your body by touching a metal surface away from the product.
- Fuel vapors can explode. Harmful or fatal if swallowed. Avoid breathing in fuel vapors.
- Do not smoke near or while using the fuel caddy.
- This product is intended for fuel transfer only and is not intended to transport fuel in any vehicle or trailer.
- Always remove from the vehicle and place fuel station on the ground when filling.
- DO NOT FILL IN THE BACK OF A PICKUP TRUCK OR INSIDE VEHICLE.
- Do not modify this product.
- Do not store it in a vehicle or living space; always store it in a well-ventilated area.
- Keep the container closed when not in use. Vapors are harmful to the lungs if inhaled.
- KEEP OUT OF REACH OF CHILDREN.
- Not for use with racing fuel.
- Make sure the fuel station is tightly secured HORIZONTALLY during transport.
- Do not drop or roll up and down stairs.
- If you are unaware of restricted in your area for full containers, consult your local authorities before use.
- If you need storage of different fuels, please clean the tank before changing. Avoid mixing different fuels together to affect the use.


⚠ WARNING**WARNING! CAUTION! ATTENTION!**

- Do not use this product for prop-longed fuel storage.
- Use the caddy for one fuel type only to avoid possible damage.
- Do not overfill the container.
- Always empty the pump and hose after using the caddy. Lift the hose and turn the handle in the opposite direction to empty all remaining liquid back into the caddy.
- Caution when filling the caddy through the fill tube, Monitor closely to prevent overflows or spills.
- This product is unsuitable for placing in a yacht, off-road vehicle, or another violent vibration place.



Never use the fuel caddy near open flames or heat sources.

VAPORS can explode and cause a flash fire at any distance.

**⚠ WARNING**

Always keep the tank vertical while refueling or moving. Improper use may result in spillage or injury.

SAVE THESE INSTRUCTIONS

MODEL AND PARAMETERS

Model	YHM-120D	YHM-120G
Capacity	32 Gal	32 Gal
Suitable Fuel Oil	Diesel	Gasoline / Diesel
Input	DC12V	
Pump Power	150W (Diesel pump)	216W (Gasoline pump)
Max. Flow	10GPM	15GPM
Auto-Stop	Built-in Auto-Stop System	/
Wheels	10"	
Tank Material	LLDPE	
Tank Color	Red	

STRUCTURE DIAGRAM



- 1.Pump(With Electrostatic clamp) 2.Fuel outlet 3.Tank 4.Oil filler
 5.Oil pipe 6.Oil gun 7.Tubing holder 8.Wheels

ASSEMBLY AND USE



1. Mounting the tubing holder.



2. Install the connector at pump




3. Insert tubing into joint and secure with clamps.

YHM-120D



YHM-120G



4: Install the connector at the oil gun. Insert tubing into the joint and secure with clamps.

NOTE: Make sure the seal rings are properly placed and tightened at each place. If necessary, add PTFE tape to the joint.



⚠ WARNING **Before Start to USE:**

1. Attach ground wire and bond containers that are being pumped from and into. Ground all containers to a known ground source to dissipate static electricity before pumping liquids. Dissipate any static electricity from your body by touching a metal surface away from the product.
2. Always wear the necessary protection materials when transporting gasoline!



! Do not transfer fuel while the vehicle or the vehicle's heater is ON (may cause a fire).

! Do not leave the pump unattended (it may cause an oversupply of oil, fire, or any accident).

! Do not run the pump 'dry' or let the pump idle without transferring(may cause product failure.)

! Make sure to use the pump on an even surface (If the tank falls down during the liquid supply, the liquid will leak and may cause a fire or an accident.)

! Make sure the pump is tightly secured to the tank before turning the pump on.

HOW TO USE:

Pump switch



Pump switch



1. Press the switch to start the pump.
2. Press the oil gun switch to start delivering oil.

Warning: The DC pump should run no more than **30minutes**.

Model YHM-120D: With a Built-in Auto-Stop System, it automatically stops when the fuel reaches the stop line.

Model YHM-120G: Without a Built-in Auto-Stop System, be cautious when filling the caddy through the fill tube, and Monitor closely to prevent overflows or spills.

MAINTENANCE

1. Please clean the measure and filter regularly.
2. Keep away from fire.
3. For different types of oil, cleaning the tank before storing another type of oil is recommended.
4. If this product is not used for a long time, it is recommended to clean and store it in a cool and dry environment. Keep the tank away from the direct sunlight.

