VEVOR

Affordable. Reliable. Home Improvement.

SUSPENSION SYSTEM TOOLS

MODEL: XC9113

Technical Support and E-Warranty Certificate
www.vevor.com/support

VEVOR
Affordable. Reliable. Home Improvement.

SUSPENSION SYSTEM TOOLS

MODEL: XC9113

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

	Warning-To reduce the risk of injury, user must read instructions manual carefully.

WARNING

When using this tool, basic safety precautions should always be followed to reduce the risk of personal injury and damage to equipment. Read all instructions before operating.

- Keep work area clean. Cluttered areas invite injuries.
- Observe work area conditions. Do not use machines or power tools in damp or wet locations. Don't expose to rain. Keep work area well lighted.
- Keep children and bystanders away. Children and bystanders must never be allowed in the work area. Do not let them handle machines, tools, or extension cords.
- Store idle equipment. When not in use, tools must be stored in a dry location to inhibit rust. Always lock up tools and keep out of reach of children.
- Use the right tool for the job. Do not attempt to force a small tool or attachment to do the work of a larger industrial tool. There are certain applications for which this tool was designed. It will do the job better and more safety at the rate for which it was intended. Do not modify this tool and do not use this tool for a purpose for which it was not intended.
- Do not wear loose clothing or jewelry as they can be caught in moving parts. Protective, electrically non-conductive clothes and non-skid footwear are recommended when working. Wear restrictive hair covering to contain long hair.
- Do not overreach. Always keep proper footing and balance. Do not reach over or across running machines.

- Maintain tools with care. Keep tools clean for better and safer performance. Follow instructions for lubricating.
- Stay alert. Watch what you are doing, use common sense. Do not operate any tool when you are tired.
- Check for damaged parts. Before using any tool, any part that appears damaged should be carefully checked to determine that it will operate properly and perform its intended function. Check for alignment and binding of moving parts; any broken parts or mounting fixtures; and any other condition that may affect proper operation. Any part that is damaged should be properly repaired or replaced by a qualified technician.
- Replacement parts and accessories. When servicing, use only identical replacement parts. Use of any other parts will void the warranty. Only use accessories intended for use with this tool.
- Do not operate tool if under the influence of alcohol or drugs. Read warning labels if taking prescription medicine to determine if your judgment or reflexes are impaired while taking drugs. If there is any doubt, do not operate the tool.

PRODUCT CONFIGURATION

Model	XC9113
Adapt to springs	Length: ≤265mm Wire diameter: ≤Φ14mm
Compression stroke (mm):	265
Maximum pressure (kg)	1200
Adapt sleeve width	0.86in(22mm)

PARTS LIST



ITEM	Name	Q'TY
A	Pressing block (No Thread)	2PCS
B	Threaded rod	2PCS
C	Safety pins	4PCS
D	Pressing block (Threaded)	2PCS
E	Manual	1PCS

OPERATION

Warning: The maximum pressure of the product is 1200KG. It is strictly prohibited to use electric or pneumatic power tools under overload.



Notice: Lubricate both threaded rod (B) with oil.

STEP1:
Release the Safety pins (C), install as shown in the diagram, hook the Pressing block (A/D) onto the spring, and lock the Safety pins.

STEP2:
Use a sheet metal wrench to twist the threaded rod (B) to compress the spring to the appropriate length.
Turn the threaded rod (B) of each side a few turns at a time to ensure equal pressure on each side of the spring.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi
Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.
Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

UK REP	YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX
EC REP	E-CrossStu GmbH Mainzer Landstr.69, 60329 Frankfurt am Main.

Technical Support and E-Warranty Certificate
www.vevor.com/support