

MONTAGEANLEITUNG//ASSEMBLY INSTRUCTION

Artikelnummer/ItemNumber : N622P517628W



N622P517629W

N622P517630W

Unser Bett wird in 3 Paketen geliefert. Die Lieferzeit dieser 3 Pakete können abweichen. bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our bed will be sent to you in three packages. The delivery time of these three parcels may be different. Please be patient. Thank you for your understanding.

Bett 200x120cm



Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- WARNING ! Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed

Deutsch

WICHTIG ! ZUM SPÄTEREN NACHSCHLAGEN AUFBEWAHREN: SORGFÄLTIG LESEN

- Muss von einem Erwachsenen zusammengebaut werden. Der Zusammenbau muss vor dem Gebrauch von einem Erwachsenen überprüft werden
- WARNUNG! Bewahren Sie alle Schrauben, Kleinteile und Plastikbeutel außerhalb der Reichweite von Kindern auf
- Kennzeichnen Sie vor dem Zusammenbau alle Teile richtig
- Benutzen Sie Ihren Artikel niemals, wenn Teile gebrochen sind oder fehlen
- Sollten Probleme auftreten, wenden Sie sich bitte an unseren Kundendienst
- Die Anweisungen des Herstellers sind stets zu befolgen
- Pflege: Mit einem weichen, trockenen Tuch reinigen. Bei größeren Flecken vorsichtig mit einem leicht feuchten, nicht scheuernden Schwamm abreiben. nicht scheuernden Schwamm
- Vermeiden Sie die Gefahr eines Brandes, indem Sie die Möbel nicht in der Nähe von Zündquellen oder heißen Gegenständen aufstellen
- Nicht auf das Bett springen

Français

IMPORTANT ! CONSERVER POUR RÉFÉRENCE ULTÉRIEURE : LIRE ATTENTIVEMENT

- Le montage doit être effectué par un adulte. Le montage doit être vérifié par un adulte avant Utilisation
- ATTENTION ! Tenir les vis, les petites pièces et les sachets en plastique hors de portée des enfants
- Identifiez correctement toutes les pièces avant de les assembler
- N'utilisez jamais votre article si l'une de ses pièces est cassée ou manquante
- En cas de problème, veuillez contacter notre service après-vente
- Les instructions du fabricant doivent être respectées à tout moment
- Entretien : nettoyer avec un chiffon doux et sec. En cas de taches plus importantes, frotter soigneusement avec une éponge non abrasive légèrement humide. légèrement humide et non Abrasive
- Évitez les risques d'incendie en ne plaçant pas les meubles à proximité de sources d'inflammation ou d'objets chauds
- Ne pas sauter sur le lit

Italiano



IMPORTANTE! CONSERVARE PER RIFERIMENTO FUTURO: LEGGERE ATTENTAMENTE

- Deve essere assemblato da un adulto. L'assemblaggio deve essere controllato da un adulto prima dell'uso
- ATTENZIONE! Tenere tutte le viti, le piccole parti e i sacchetti di plastica fuori dalla portata dei bambini
- Identificare correttamente tutte le parti prima dell'assemblaggio
- Non utilizzare mai l'articolo se alcune parti sono rotte o mancanti
- In caso di problemi, si prega di contattare il nostro Servizio Post Vendita
- Le istruzioni del produttore devono essere sempre seguite
- Cura: Pulire con un panno morbido e asciutto. In caso di macchie più estese, strofinare accuratamente con una spugna leggermente umida e nonspugna leggermente umida e non abrasiva
- Evitare il rischio di incendio, non collocando i mobili vicino a fonti di accensione o a oggetti caldi
- Non saltare sul letto

Español

¡ IMPORTANTE ! CONSERVELO PARA FUTURAS CONSULTAS: LEA ATENTAMENTE

- Debe ser montado por un adulto. El montaje debe ser comprobado por un adulto antes del uso
- ADVERTENCIA Mantenga todos los tornillos, piezas pequeñas y bolsas de plástico fuera del alcance de los niños.
- Identifique correctamente todas las piezas antes de montarlas
 - Nunca utilice su artículo si alguna de sus piezas está rota o falta
 - Si surge algún problema, póngase en contacto con nuestro Servicio Postventa
 - Las instrucciones del fabricante deben seguirse en todo momento
 - Cuidado: Limpiar con un paño suave y seco. En caso de manchas más grandes, frote cuidadosamente con una esponja no abrasiva ligeramente humedecida.
 - Evite el riesgo de incendio no colocando los muebles cerca de fuentes de ignición u objetos calientes.
 - No saltar sobre la cama.



INSTRUCTIONS

IMPORTANT-READ CAREFULLY-RETAIN FOR FUTURE REFERENCE


- a) **WARNING** -Children can become trapped between the bed and the wall, the adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the safety barrier and the adjoining structure shall not exceed 75 mm or shall be more than 200 mm
- b) **WARNING**-Do not use the bed if any structural part is broken or missing; Replacement parts are between requested from the manufacturer or the store.
- c) **WARNING**-Do not climb or wiggle on any non-designated structures.
- d) it is imperative to always follow the installation instructions and manufacturer's use.
- e) The recommended size of the mattress to be used with the bed is 200cmx120cm
Maximum thickness mattress:12cm.
- f) It is necessary to ventilate the room in order to maintain a low level moisture and prevent mold growth in the bed and its periphery.
- g) Joining devices should always be tightened properly and regularly verified. Tighten if necessary.

ANLEITUNGEN

WICHTIG - SORGFÄLTIG LESEN - FÜR SPÄTERE VERWENDUNG

AUFBEWAHREN

- a) **WARNUNG** - Kinder können zwischen dem Bett und der Wand, den angrenzenden Möbelstücken (z. B. Schränken) und der Lücke eingeklemmt werden. Um die Gefahr schwerer Verletzungen zu vermeiden, darf der Abstand zwischen der Sicherheitsbarriere und der angrenzenden Struktur nicht mehr als 75 mm oder mehr als 200 mm betragen.
- b) **WARNUNG**-Das Bett darf nicht benutzt werden, wenn ein Bauteil gebrochen ist oder fehlt; Ersatzteile sind beim Hersteller oder im Geschäft anzufordern.
- c) **WARNUNG** - Klettern oder wackeln Sie nicht auf nicht dafür vorgesehenen Strukturen.
- d) Befolgen Sie unbedingt die Installationsanweisungen und die Gebrauchsanweisungen des Herstellers.
- e) Die empfohlene Größe der Matratze für das Bett beträgt 200cmx120cm,maximale Dicke der Matratze: 12cm.
- f) Es ist notwendig, den Raum zu lüften, um die Feuchtigkeit niedrig zu halten und Schimmelbildung im Bett und seiner Umgebung zu verhindern.
- g) Die Verbindungselemente sollten immer richtig angezogen sein und regelmäßig überprüft werden. Ziehen Sie sie gegebenenfalls nach.




EN_QUICKFIT: Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

FR_RACCORD RAPIDE: Faites serrer le raccord rapide jusqu'à ce que l'épaulement soit parfaitement encastré dans le panneau. Il ne faut ni trop serrer ni insuffisamment serrer.

ES_QUICKFIT: Apriete quickfit hasta que el hombro se descargue con el panel. NO lo sobreapriete ni lo apriete poco.

DE_QUICKFIT: Ziehen Sie den Quickfit fest, bis die Schulter mit der Platte bündig ist. Bitte nicht zu fest oder zu schwach anziehen.

IT_MONTAGGIO RAPIDO: Stringere il montaggio rapido fino a quando la spalla è a filo con il pannello, non stringere troppo o troppo poco.




EN_CAM LOCK: When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

FR_SERRURE BATTEUSE: Avant d'insérer la serrure batteuse, veillez à la bonne orientation avant d'insérer le raccord rapide.

ES_CIERRE DE LA CÁMARA: Cuando instale el cierre de la cámara, asegúrese de que la posición de inicio es correcta antes de que inserte el quickfit conector.

DE_CAM-LOCK: Achten Sie bei der Montage des Cam-Locks auf die richtige Ausgangsposition, bevor Sie den Quickfit einsetzen.

IT_BLOCCAGGIO A CAMMA: Quando si monta il bloccaggio a camma, assicurarsi che la posizione iniziale sia corretta prima di inserire il montaggio rapido di collegamento.



EN_Quickfit head should be in the centre of the cam lock when the two panels are joined.

Cam lock should be inserted before quickfit.

FR_Lorsque les deux panneaux sont assemblés, la tête du raccord rapide doit reposer au centre de la serrure batteuse. Il faut insérer la serrure batteuse avant le raccord rapide.

ES_El cabezal del quickfit debe estar en el centro del cierre de la cámara cuando se unan los dos paneles.

Se debe insertar el cierre de la cámara antes que el quickfit.

DE_Der Quickfit-Kopf sollte sich in der Mitte des Cam-Locks befinden, wenn die beiden Platten zusammengefügt sind.

Der Cam-Lock sollte vor dem Quickfit eingesetzt werden.

IT_La testa del montaggio rapido deve trovarsi al centro del bloccaggio a camma quando i due pannelli sono uniti.

Il Bloccaggio a Camma deve essere inserito prima del montaggio rapido.

EN_Turn cam lock clockwise to tighten.

FR_Faites tourner la serrure batteuse dans le sens des aiguilles d'une montre pour la resserrer.

ES_Gire el cierre de la cámara en sentido horario para apretarlo.

DE_Drehen Sie den Cam-Lock im Uhrzeigersinn, um ihn festzuziehen.

IT_Ruotare il bloccaggio a camma in senso orario per stringere.



DE: Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100 %.

Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.


UK: Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.

If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.


FR: Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%.

Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

















MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS









MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

N622P517628W

1		1PC	39		1PC
2		1PC	40		1PC
3		1PC	41		2PCS
4		1PC	43		1PC
10		4PCS	46		2PCS
19		1PC	47		2PCS
20		1PC			
35		1PC	48		2PCS
36		1PC			
37		1PC	49		1PC










MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

N622P517628W






A	6x105		8PCS	O			4PCS
B	6x75		8PCS	P	3x12		3PCS
C			28PCS	Q	4x25		44PCS
D	Ø8x30		56PCS	R			6PCS
E			1PC	S	M4		1PC
F			2PCS	T			1PC
G	7x50		12PCS	U			1PC
H			79PCS	V			28PCS
I			87PCS	W	6x55		8PCS
J	3x14		4PCS	X			2PCS
K			2PCS	Y1			4PCS
L	5x40		16PCS	Y2			2PCS
M	3.5x14		56PCS	Z			2PCS
N	3.5x16		20PCS				

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

N622P517629W



5		1PC	24		1PC
6		1PC	27		1PC
9		2PCS	28		1PC
13		1PC	31		1PC
14		1PC	32		2PCS
15		1PC	33		2PCS
16		1PC	34		1PC
17		1PC	38		1PC
18		1PC	42		1PC
23		1PC			

N622P517630W

7		1PC	25		1PC
8		1PC	26		1PC
11		1PC	29		1PC
12		1PC	30		1PC
21		1PC	44		1PC
22		1PC	45		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS


1



B	6x75		8PCS
C			8PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

2







J	3x14	
M	3.5x14	
P	3x12	

D	ø8x30		2PCS			
G	7x50		8PCS	E		1PC
S	M4		1PC	N	3.5x16	4PCS

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



3




A	6x105		8PCS
C			8PCS
D	ø8x30		4PCS
G	7x50		4PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



4




D	ø8x30		4PCS							
H			4PCS	J	3x14		4PCS	M	3.5x14	
I			4PCS	K			2PCS	N	3.5x16	
S	M4		1PC	U			1PC	P	3x12	

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS


5




H			2PCS
I			2PCS
L	5x40		2PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



6



D	ø8x30		2PCS
H			7PCS
I			7PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



7



D	Ø8x30		2PCS
H			7PCS
I			7PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS





8



M	3.5x14		8PCS	J	3x14	
V			8PCS	N	3.5x16	
S	M4		1PC	P	3x12	

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

9




J	3x14	
M	3.5x14	
N	3.5x16	

P	3x12		3PCS
T			1PC
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



10





D	ø8x30		2PCS
L	5x40		10PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

11





D	ø8x30		2PCS
H			10PCS
I			14PCS
Y2			2PCS

F			2PCS
M	3.5x14		4PCS
S	M4		1PC

J	3x14	
N	3.5x16	
P	3x12	

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



12




D	∅8x30		1PC	M	3.5x14		4PCS	J	3x14	
H			2PCS	R			1PC	N	3.5x16	
I			2PCS	S	M4		1PC	P	3x12	

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



13




D	ø8x30		2PCS
H			6PCS
I			6PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS




14




D	ø8x30		6PCS
H			14PCS
I			14PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS




15




D	ø8x30		1PC
H			2PCS
I			2PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS




16




D	ø8x30		4PCS
H			5PCS
I			5PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS




17



C			4PCS
D	ø8x30		2PCS
I			4PCS
Y1			4PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



18




M	3.5x14		12PCS	J	3x14	
R			3PCS	N	3.5x16	
S	M4		1PC	P	3x12	

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



19




D	ø8x30		10PCS
H			6PCS
I			6PCS
L	5x40		4PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS




20



D	ø8x30		4PCS
H			10PCS
I			4PCS
S	M4		1PC




MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

21



D	ø8x30		6PCS
I			6PCS
Z			2PCS
S	M4		1PC




22



M	3.5x14		8PCS	J	3x14	
R			2PCS	N	3.5x16	
S	M4		1PC	P	3x12	

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



23




M	3.5x14		20PCS	J	3x14	
V			20PCS	N	3.5x16	
S	M4		1PC	P	3x12	

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS



24



D	ø8x30		2PCS	I		4PCS
H			4PCS	S	M4 	1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

25







A	6x105	
B	6x75	
J	3x14	
M	3.5x14	
P	3x12	

W	6x55		8PCS				
C			8PCS	N	3.5x16		16PCS
S	M4		1PC	O			4PCS

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS





26



Q	4x25		20PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

27




Q*24

Q	4x25		24PCS
S	M4		1PC

MONTAGEANLEITUNG/ASSEMBLY INSTRUCTIONS

28



X



2PCS

LotusLantern APP Manual

1. Software Overview

1.1 Overview

LotusLantern is a mobile APP to control LED strip by both Apple and Android phones.

The traditional control ways like infrared, 433MHz, 2.4GHz and others old wired ways will be replaced by mobile phone control way with convenient, powerful and scalable features.

Through this mobile APP, you can not only control the color, brightness and color temperature of the LED strips but also set up all kinds of fancy flash mode; Also this APP can change the light of the LED strip according to the rhythm of the music. This APP can set and control several LED strips through Bluetooth and the operation is very simple, easy to learn and easy to use.

1.2 Features

- Adjust color LED strips with 60,000 colors to change color and brightness and adjust monochrome LED strips to change brightness and color temperature
- Play music or turn on a sound playback device, you can let the light change the color and brightness with the rhythm of music, the music rhythm beautiful
- Inside multiple setting mode for color change and control LED strips without mobile
- Long distance control with omni-directional antenna, and many-to-many group control mode
- Once the connection is successful, connect automatically next time

1.3 Performance

LotusLantern APP is easy for use as well as great compatible for all kinds of smart phones; After the actual test of hundreds of mobile phones verification, the compatibility is above 95% of mobile phones in the market. APP is small and convenient, it consumes less system resources, so the requirements of the mobile configuration are low. Control delay is small, the operation feel good, light control is smooth with people's visual sense.

2. Operating Environment

This APP program requires phones of system above Android 4.3 and iOS 8.0. Mobile phone configuration is not limited.

3. Instructions

Note: Android version and iOS version download and use the same method, here in the Android version as an example.

3.1 APP Download


- Scan the QR code

iOS and Android systems can download the "LotusLantern" APP by scanning the QR code. Open the browser or other tools with "Scan QR code" function, scan the "LotusLantern" QR code as below:




3.2 App Operation


(1) Click on the LotusLantern APP icon, enter the APP page:



(2) After entering the APP interface, if Bluetooth is not enabled, "Louts Lantern wants to turn on Bluetooth." Click [Allow]




(3) switch to color and brightness interface:




(4) click to show the lamp list, view lamp list:

Bluetooth auto connect
after search for devices

Lamp list




Status of device connection




Device disconnected state

(5) Click to RGB manual adjustment view:



(6) switch to the mode interface:


Scroll the selection mode




Adjust seed

Adjust luminance


(7) switch to the music rhythm interface:




(8) Switch to the microphone rhythm interface:



Music rhythm through the microphone on the product



(9) Switch to the schedule interface:



Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,

Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-250819L20001C

Certificate's Holder : Shenzhen xu xing technology co., LTD
Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen

Manufacturer : Shenzhen xu xing technology co., LTD
Floor 3, building C, Huaze hi tech Industrial Park, Shiyan street, Bao'an District, Shenzhen

Trade Mark : /

Product : Colorful light strip

Model(s) : XX5050RGB-30D
XX5050RGB-60D, XX2835-120D, XX2835-60D, XX2835-84D

REQUIREMENT	STANDARD	Report No.
Art.3.1(a) Safety	EN IEC 62031:2020+A11:2021	ZKT-250819L20002S
Art.3.1(a) Health	EN 62479:2010 EN 50663:2017	ZKT-250819L20001E-2
Art.3.1(b) EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-3 V2.3.2 (2023-01)	ZKT-250819L20001E
	ETSI EN 300 220-1 V3.1.1 (2017-02) ETSI EN 300 220-2 V3.2.1 (2018-06)	ZKT-250819L20001E-1

This Attestation of Compliance is issued on for electrical equipment below the voltage limits of Radio Equipment Directive (RED) 2014/53/EU. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.

CERTIFICATE OF CONFORMITY

Certificate No. : POCE220829293QCR
Applicant : Shenzhen Xuxing Technology Co., Ltd
Address : Floor 3, Building C, Huaze Hi-Tech Industrial Park, No. 108
Zhushi Road, Shiyan Street, Bao'an District, Shenzhen
Manufacturer : Shenzhen Xuxing Technology Co., Ltd
Address : Floor 3, Building C, Huaze Hi-Tech Industrial Park, No. 108
Zhushi Road, Shiyan Street, Bao'an District, Shenzhen
Product : Led lights bring
Trade Name : 
Model(s) : XX5050-RGB-60D, XX5050-RGB-30D, XX5050-RGB-72D,
XX5050-RGB-96D, XX5050-RGB-120D, CLB1-2835-1,
CLB1-2835-0, XX2835-W/Y-120D, XX2835-W/Y-60D,
XX2835-W/Y-240D, XX2835-W/Y-238D, XX2835-W/Y-168D,
XX2835-W/Y-224D, XX2835-W/Y-118D, XX2835-W/Y-162D,
XX2835-W/Y-124D, XX2835-W/Y-170D, XX2835-60D,
XX2835-120D, XX2835-150D, XX2835-180D
Test Report No. : POCE220829293QRR
Test Standards : IEC 62321-3-1:2013; IEC 62321-4:2013+A1:2017;
IEC 62321-5:2013; IEC 62321-6:2015; IEC 62321-7-1:2015;
IEC 62321-7-2:2017; IEC 62321-8:2017

The EUT described above has been tested by us with the listed standards and found in compliance with the council **RoHS Directive(EU) 2015/863 amending Annex II to Directive 2011/65/EU**. It is possible to use **CE** marking to demonstrate the compliance with this **RoHS** Directive.



For Chief Executive / Jerry Yang

Date: Sep. 02, 2022



This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant directives have to be observed.



扫一扫关注



扫码查证书



CERTIFICATE OF CONFORMITY

No.: LCT-250803286238

Applicant.....: GUANG TAI ENTERPRISE CO.,LTD.
Address.....: No. 2, Dapianmei District, Dalingshan Town, Dongguan City, Guangdong Province
Manufacturer.....: GUANG TAI ENTERPRISE CO.,LTD.
Address.....: No. 2, Dapianmei District, Dalingshan Town, Dongguan City, Guangdong Province
Product Name....: Furniture power Distribution Unit
Model(s) JN02-00-112, JN02-00-111, JN02-00-211, JN02-00-22, JN02-00-113, JN02-00-213, JN02-00-113K, JN02-00-21, JN02-00-23, JN02-00-212
Trademark.....: N/A
Test Standard....: EN 55032: 2015/A1: 2020;
EN IEC 61000-3-2: 2019/A2: 2024;
EN 61000-3-3:2013+A2:2021;
EN 55035:2017/A11:2020.
Directives.....: EMC Directive 2014/30/EU
Report Number..: LCT-250803286238

Remark:

The tests were performed in normal operation mode, the test results apply only to the particular sample tested and to the specific tests carried out. This certificate applies specifically to the sample investigated in our test reference number only.

The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.

Other relevant Directives have to be observed.



(Manager)

Aug. 26, 2025

Certificate of Compliance

RoHS Directive 2011/65/EU appendix II Revised instructions (EU) 2015/863 of the European parliament and of the council on the restriction of the use of certain hazardous substances in electrical and electronic equipment

Issue Date: Nov.27, 2025

Company Name	:	GUANG TAI ENTERPRISE CO.,LTD
Address	:	Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Daling shang DONGGUAN GUANGDONG
Manufacturer	:	GUANG TAI ENTERPRISE CO.,LTD
Address	:	Rm402,Bldg 4,No.2 Dapianmei Rd.Dapianmei Village,Daling shang DONGGUAN GUANGDONG
Sample Name	:	Furniture Power Distribution Unit
Sample Model	:	JN 02-00-21;JN02-00-111;JN02-00-112;JN02-00-212; JN 02-00-22;JN00-00-02K;JN02-00-113K;JN02-00-113; JN 02-00-213;JN02-00-23;JN00-00-03K;JN00-00-03; JN 00-00-04K;JN00-00-04; JN02-00-23K

This certificate of compliance is based on a test procedure or an evaluation of the above-mentioned product. This is to certify that the above-mentioned product is in compliance with the According to IEC63000:2018+AMD1:2017 and RoHS Directive 2011/65/EU Revised instructions (EU) 2015/863 of the European parliament.

It is only valid in connection with the test report (Report No.: COBO25110736-R1)

RoHS

Signed for and on Behalf of COBO


Sam Xie

Sam Xie / Technical Manager

GUANGDONG TI COBO TESTING CO.,LTD.

EA601,Yeshi Building No.9,Zongbu 2nd Road,Songshan Lake Sci.&Tech. Park,Dongguan,Guangdong,China

Tel:86-769-26622263 Fax:86-769-26622012





Product Service

Attestation of Conformity

No. N8A 128892 0001 Rev. 00

Holder of Attestation: GUANG TAI ENTERPRISE CO., LTD.

Rm 402, Bldg 4, No.2 Dapianmei Rd.
Dapianmei Village, Dalingshan
523000 Dongguan, Guangdong
PEOPLE'S REPUBLIC OF CHINA

**Product: Cord extension set
(Furniture Power Distribution Unit)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 6810024020501**Date,** 2025-01-10
(Michael Xu)

Page 1 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 128892 0001 Rev. 00

Model(s): JN00-00-02K, JN00-00-03K, JN00-00-04K,
JN02-00-21, JN02-00-22, JN02-00-23,
JN02-00-23K, JN02-00-24K, JN02-00-24,
JN02-00-22M, JN02-00-23M, JN02-00-23KM

Parameters:

220-250V~, 50Hz, Max. 16A, Max. 3680W
USB A1/USB A2 Output: 5.0VDC, 2.1A, 10.5W Max.
Total USB output: 5.0VDC, 2.1A, 10.5W Max

These models in addition to the naming and some models with connectors, no other difference.

Table 1 model difference:

Model	Difference
JN00-00-02K, JN00-00-03K, JN00-00-04K, JN02-00-21, JN02-00-22, JN02-00-23, JN02-00-23K, JN02-00-24K, JN02-00-24	Without AC connector:
JN02-00-22M, JN02-00-23M, JN02-00-23KM	With AC connector:

**Tested
according to:**

IEC 60884-1:2002
IEC 60884-1:2002/AMD1:2006
IEC 60884-1:2002/AMD2:2013
IEC 60884-2-7:2011
IEC 60884-2-7:2011/AMD1:2013
EN 62368-1:2014/A11:2017

Page 2 of 2

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.