VEVOR

Upgrade · The Home Creator Way

CARPORT REPLACEMENT COVER

VEVOR Support Center

1	SXYQCPBL10X20		2	SXYQCPBM12X20	
3	SXYQCPBB12X20		4	SXYQCPBMDC10X20	
5	SXYQCPBHDC12X20		6	SXYQCPBHW10X20	
7	SXYQCPBHDC13X20		8	SXYQCPBHDC20X20	

VEVOR
Upgrade·The Home Creator Way

CARPORT REPLACEMENT COVER

MODEL:SXYQCPBB10X20, SXYQCPBM10X20, SXYQCPBH10X20, SXYQCPBH12X20, SXYQCPBH13X20, SXYQCPBL10X20, SXYQCPBM12X20,SXYQCPBB12X20



MODEL: SXYQCPBBW10X20,SXYQCPBHW10X20



MODEL: SXYQCPBBCP10X20, SXYQCPBHC12X20, SXYQCPBHC13X20



MODEL: SXYQCPBHDC10X20, SXYQCPBMDC10X20, SXYQCPBHDC12X20, SXYQCPBHDC13X20,SXYQCPBHDC20X20



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

WARNING：

1.Warning-To reduce the risk of injury, user must read instructions manual carefully.
2.The product complies with relevant standards and regulations.
Installation of this device must comply with all applicable regulations, and it should only be operated in well-ventilated areas. Please read the user manual before installing and using this equipment.

4、Avoid contact with sharp objects to prevent scratches.

5、Keep all flame and heat sources away from the tarpaulin materials. Under no circumstance should any naked flame sources, fuel burning devices or heating devices be used under or nearby.

6、Keep a fire extinguisher or water bucket nearby.

NOTICE：

1、Clean with cold water and a soft brush-do not use soap or detergent.

2、Do not expose to petrol, oil or solvents.

People needed for installation



PRODUCT DESCRIPTION

Material: waterproof UV woven polyethylene cover
Technological innovation: Hot Air and Extrusion Welding

Model	Color	Applicable carport sizes	Product	Accessories
SXYQCPBB10X20	White	10’ L x 20’ W, canopy With Edge		 x44
SXYQCPBM10X20	Beige			
SXYQCPBH10X20	Grey			
SXYQCPBBW10X20	White	10’ L x 20’ W, Without Edge		 x40
SXYQCPBBCP10X20	White	10’ L x 20’ W side canopy		 x40
SXYQCPBHDC10X20	Grey	10’ L x 20’ W, canopy side canopy		 x84
SXYQCPBH12X20	Grey	12’ L x 20’ W, canopy With Edge		 x48
SXYQCPBHC12X20	Grey	12’ L x 20’ W, side canopy		 x48
SXYQCPBH13X20	Grey	13’ L x 20’ W, canopy With Edge		 x52
SXYQCPBHC13X20	Grey	13’ L x 20’ W, side canopy		 x50

Model	Color	Applicable carport sizes	Product	Accessories
SXYQCPBL10X20	Green	10’ L x 20’ W, canopy With Edge		 x44
SXYQCPBM12X20	Beige	12’ L x 20’ W, canopy With Edge		 x48
SXYQCPBB12X20	White			
SXYQCPBMDC10X20	Beige	10’ L x 20’ W, canopy side canopy		 x84
SXYQCPBHDC12X20	Grey	12’ L x 20’ W, canopy side canopy		 x88
SXYQCPBHW10X20	Grey	10’ L x 20’ W, Without Edge		 x40
SXYQCPBHDC13X20	Grey	13’ L x 20’ W, canopy side canopy		 x92
SXYQCPBHDC20X20	Grey	20’ L x 20’ W, canopy side canopy		 x96


ASSEMBLY INSTRUCTIONS

Canopy Assembly


1、Unpack and take out tarpaulin and a bundle of bouncy balls.




2、Unfold the product and lay it flat on top of the stand.



3、Pass the bouncy tether balls through the reserved hole in the tarpaulin and connect it to the metal bracket. And install the hooks on the leg wraps in the appropriate holes on the feet of the stand



You can refer to the picture above for hooking. When the size of the hook is insufficient, a stretch ball can also be used for connection.


Side Canopy Assembly

1、Unpack and take out tarpaulin and a bundle of bouncy tether balls.





2、Unfold the tarpaulin around the bracket and insert bouncy tether balls through the metal holes to secure it to the bracket.



3、The tarpaulin that serves as the door is fastened to the bracket with Velcro.

