



Upgrade · The Home Creator Way

BIKE RACK

MODEL:HS-T026AF \ HS-T026AF-2

VEVOR Support Center




HS-T026AF



HS-T026AF-2

MODEL: HS-T026AF \ HS-T026AF-2



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.





Warning-To reduce the risk of injury, user must read instructions manual carefully.




Safety & Warning

- 1.Read and understand this entire manual before assembling, installing, operating, or servicing this product. Failure to follow these warnings and instructions can cause death, personal injury or damage to valuable property.
- 2.Do not overreach. Keep proper footing and balance at all times. Proper footing and balance enable better control of the tool in unexpected situations.
- 3.Keep children and pets away during assembly.
- 4.Store the tool when it is idle, out of reach of children, and other untrained persons. A tool is dangerous in the hands of untrained users.
- 5.Use as intended only. This product is not a toy. Do not allow children to play with or near this item.
- 6.Check for misalignment or binding of moving parts, breakage of parts, and any other condition that affects the tool's operation. If damaged, have the tool serviced before use. Many accidents are caused by poorly maintained tools.
- 7.Please assemble the product in strict accordance with the instructions. Incorrect assembly could be hazardous.
- 8.Do not try to assemble the product when feeling tired or when under the influence of alcohol, drugs or medication.
- 9.Separate and count all parts and hardware.

Part List				
Code	Name	Picture	HS-T026AF Qty.	HS-T026AF-2 Qty.
1	Main Body		1	2
2	Leg Tubes		2	4
3	Screws		4	8
4	Hex key		1	2

Install





DO NOT open the parking brace before assembly is finished, otherwise the spring hook will be fell off due to the incorrect operation.

360 degree complete turn over the whole bracket first, make the bottom mounting holes upside.




Always make sure the spring hook is hitched at the stabilizer arm.




Align the mounting holes on leg tubes and the main body, fasten the screws with the Allen Wrench one by one.

USAGE





Raise the stabilizer arm until it stops with a slight click.
Make sure the spring hook is hitched on the upper brace.



Warning!!!

Keep your fingers away from the hinge points When operating the stand.

1. Slightly pull stabilizer arm back;
2. Pull the safety pin then;
3. Put stabilizer arm down slowly.



IMPORTANT NOTE

Make sure the position of wheel is correct.

