



Affordable. Reliable. Home Improvement.

PANEL TRACK BLINDS

**MODEL:PB-32-B1/PB-32-B2/PB-32-B3
PB-32-G1/PB-32-G2/PB-32-G3**


Technical Support and E-Warranty Certificate
www.vevor.com/support



Affordable. Reliable. Home Improvement.

PANEL TRACK BLINDS

MODEL:PB-32-B1/PB-32-B2/PB-32-B3/PB-32-G1/PB-32-G2/PB-32-G3



NOTE: The color is subject to your purchase.

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INFORMATION

1. This product contains small parts. If swallowed, it will pose a choking hazard. Keep these small parts away from children !
2. Read, understand and follow your power tool manufacturer's instructions for safety. Always wear safety glasses or eye shields before assembly and commencing power tool operation. Always keep hands, face, hair, loose clothing, and body at a safe distance from spindles and cutting tools. Always keep a firm grip on tool handles when in operation. Always disconnect from the power source before adjusting power tools.

MODEL AND PARAMETERS

Parameters Model	Color	Shading effect	Width range
PB-32-B1	Brown	Full blackout	45.8-86inch
PB-32-B2	Dark gray		
PB-32-B3	Light gray		
PB-32-G1	White	Semi-shading	
PB-32-G2	Light brown		
PB-32-G3	Gray		


NOTE: The color is subject to your purchase.

PARTS

Please check all pieces before the installation.




Adjustable Track x1



Panel Set x2


(Each roll contains 2 panels)



Bottom bar x4



Slice x4



Wand x2



Valance x1




Connecting plate x1



"L" Bracket x5

(For wall mount)



Mounting Bracket x5



Allen Wrench x1



Set Screw x12



Double-sided tape x1



Ⓐ "L" Bracket
Connector Screw x5



Ⓑ Nut x5




Ⓒ Wall Anchor x10



Ⓓ Bracket Screw x10

INSTALL ATION

Prepare Tools:



Drill



Screw Driver



Hammer




Tape Measure



Level



Pliers



Scissors




Ladder



Screw Suggestion: Please select according to your installation conditions.



Wood



Cement


Wall Mount

Step 1-a : Pull both sides of the guide rails to the appropriate length.




NOTE: The rope at the top of the guide rail is to prevent the two telescopic tracks from slipping out and falling, please do not cut the rope.

Step 2-a :




Step 3-a :




Install the brackets at the proper spacing and prepare the rails for mounting.

Install the track as shown.




a



b

Ceiling Mount

The following parts are not required for ceiling mount.



"L" Bracket x5
(For wall mount)




"L" Bracket
Connector Screw x5




Nut x5

Step 1-b:




NOTE: You can not use this Wall Anchor if mounted on wood.


Step 2-b: Install the brackets at the proper spacing and prepare the rails for mounting.



Step 3-b: Install the track as shown.




a



b



NOTE: After the track is installed, in order to ensure the beauty of the product, please use the included double-sided tape to arrange the rope and paste it on the top of the track.





NOTE: Because the valance still needs double-sided tape to paste, please pay attention to keep enough length of double-sided tape, it is recommended to use not more than 200mm.

Step 4


- a. Measure the height you want. b. Cut out the unwanted length of panel.
DO NOT cut from the velcro side.




- c. Insert the panels into bottom bars. d. Insert the slices into bottom bars.




- e. Use allen wrench to screw set screws into the bottom bars on flat surface.




Step 5: Attach it to the top Velcro.




Step 6: Install the Wand on both sides.




Tip: It is recommended to pull at approximately this angle.



Step 7: In order to ensure the beauty of the product, the valance is pasted on the front of the aluminum track with double-sided tape.



NOTE: If you buy two sets of products and want to connect them, you can connect them with the attached connector. (If you do not need this, please ignore this part.)



MAINTENANCE

1. Cleaning regularly .
2. Collision avoidance.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA91730

UK	REP
-----------	------------

YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69,
60329 Frankfurt am Main.



Technical Support and E-Warranty Certificate
www.vevor.com/support