



**Upgrade · The Home Creator Way**

## **SHOWER PANEL TOWER**

**MODEL:**

**6002FL、8039FL、7009FL、6012FL、8124FL、7016FL、7002FL、7015FY**

# VEVOR Support Center

|   |        |                                                                                    |   |        |                                                                                     |
|---|--------|------------------------------------------------------------------------------------|---|--------|-------------------------------------------------------------------------------------|
| 1 | 6002FL |   | 2 | 8039FL |   |
| 3 | 7009FL |   | 4 | 6012FL |   |
| 5 | 8124FL |   | 6 | 7016FL |   |
| 7 | 7002FL |  | 8 | 7015FY |  |



**6002FL**  
**6012FL**

**8039FL**

**8124FL**

**7009FL**

**7016FL**

**7002FL**

**7015FY**

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

|                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>Warning-To reduce the risk of injury, user must read instructions manual carefully.</p>                                                                                                                                                                                                                                                                                                                                                                         |
|  | <p>This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>                                                                                                                                                                         |
|  | <p>This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheeled bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices</p> |

## INSTRUCTIONS

### Warning Tips:

1. Warning-To reduce the risk of injury, user must read instructions manual carefully.
2. The product complies with relevant standards and regulations. Installation of this device must comply with all applicable regulations, and it should only be operated in well-ventilated areas. Please read the user manual before installing and using this equipment.
3. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
4. Children shall not play with the appliance.
5. This appliance shall not be used by children. Keep the appliance and its cord out of reach of children.

6. Please properly keep product. Check whether the product is abnormal before use. If it is abnormal, please stop using it.
7. Please use the product according to the intended use, warn of potential injury from misuse.
8. Read the manual completely to avoid harm, product damage, or warranty avoidance. Seek professional help if you encounter discomfort, pain or worsening symptoms. If necessary, use supervision in order to assemble and use this product correctly and safely. Do not exceed the weight limit.
9. Regularly check for secure assembly and contact support if in doubt. Ensure the product's legs are even and locked before use, and discontinue usage if there are signs of wear, damage, or missing parts. The product is to be used on flat, stable surfaces. Do not disassemble if not necessary, as it might compromise the longevity of the product. Do not modify the product unless specified in the manual.
10. Exercise caution during operation and assembly. Avoid extreme temperatures or open flames. If an allergic reaction occurs, cease use immediately and consult a healthcare professional.
11. Clean regularly using a mild detergent and warm water, rinse off any soap residue. After cleaning, dry thoroughly.
12. During the installation process, it is best to wear gloves to prevent sharp corners on the panel from scratching the palm of the hand.
13. When installing the shower, ensure that all joints are fully tightened to avoid water leakage.
14. Ensure that the red and blue water inlet pipes inside the panel are in a non folded state to avoid affecting water pressure.
15. When the shower is not in use, please close the switch valve of the shower.



## **SAVE THESE INSTRUCTIONS**

## INSTALLATION INSTRUCTIONS

| Model                      | 6002FL                                        | 8039FL          | 6012FL                               | 8124FL          | 7009FL                               | 7016FL      | 7002FL          | 7015FY         |
|----------------------------|-----------------------------------------------|-----------------|--------------------------------------|-----------------|--------------------------------------|-------------|-----------------|----------------|
| <b>Mounting Type</b>       | Wall Mount                                    |                 |                                      |                 |                                      |             |                 |                |
| <b>Connection Thread</b>   | G1/2"                                         |                 |                                      |                 |                                      |             |                 |                |
| <b>Functions</b>           | Four Modes                                    | Six Modes       | Five Modes                           | Five Modes      | Five Modes                           | Three Modes | Four Modes      | Four Modes     |
| <b>Tub Spout</b>           | √                                             | √               | √                                    | √               | √                                    | ×           | √               | √              |
| <b>Temperature Display</b> | ×                                             | √               | ×                                    | ×               | √                                    | ×           | √               | ×              |
| <b>LED Lamp</b>            | √                                             | √               | √                                    | √               | ×                                    | ×           | ×               | ×              |
| <b>Power</b>               | Dry Cell (DC3V)                               | Dry Cell (DC3V) | Dry Cell (DC3V)                      | Dry Cell (DC3V) | Dry Cell (DC3V)                      | ×           | Dry Cell (DC3V) | ×              |
| <b>Hand Shower</b>         | 1-Setting                                     | 3-Setting       | 1-Setting                            | 1-Setting       | 3-Setting                            | 5-Setting   | 1-Setting       | 1-Setting      |
| <b>Finish</b>              | Fingerprint-free Brushed Nickel shower system |                 |                                      |                 |                                      |             |                 | Black-Painting |
| <b>Material</b>            | 304 Stainless Steel, Brass, PVC, ABS          |                 | 201 Stainless Steel, Brass, PVC, ABS |                 | 304 Stainless Steel, Brass, PVC, ABS |             |                 |                |

## PARTS LIST

| MODEL                     |                                                                                                                                                                        | 8039FL | 6002FL<br>6012FL<br>8124FL | 7009FL | 7016FL | 7002FL | 7015FY |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------|--------|--------|--------|--------|
| Handheld Shower           |  or  | 1pcs   | 1pcs                       | 1pcs   | 1pcs   | 1pcs   | 1pcs   |
| 1.5 Meter Hand Spray Hose |                                                                                       | 1pcs   | 1pcs                       | 1pcs   | 1pcs   | 1pcs   | 1pcs   |
| Hand Spray Seat           |                                                                                       | 1pcs   | 1pcs                       | 1pcs   | 1pcs   | 1pcs   | 0pcs   |
| 1/2 Right Angle Adapter   |                                                                                       | 2pcs   | 2pcs                       | 2pcs   | 2pcs   | 2pcs   | 2pcs   |
| 4-Point Rubber            |                                                                                       | 2pcs   | 2pcs                       | 2pcs   | 2pcs   | 2pcs   | 2pcs   |
| Self Tapping Screw        |                                                                                      | 4pcs   | 4pcs                       | 4pcs   | 4pcs   | 4pcs   | 4pcs   |
| Fastener                  |                                                                                     | 2pcs   | 2pcs                       | 2pcs   | 2pcs   | 2pcs   | 2pcs   |
| Grommet                   |                                                                                     | 1pcs   | 1pcs                       | 1pcs   | 1pcs   | 1pcs   | 2pcs   |
| Hexagon Nut               |                                                                                     | 1pcs   | 1pcs                       | 1pcs   | 1pcs   | 1pcs   | 1pcs   |

| MODEL                            |                                                                                     | 8039FL | 6002FL<br>6012FL<br>8124FL | 7009FL | 7016FL | 7002FL | 7015FY |
|----------------------------------|-------------------------------------------------------------------------------------|--------|----------------------------|--------|--------|--------|--------|
| M6 Nut                           |    | 4pcs   | 4pcs                       | 0pcs   | 0pcs   | 0pcs   | 0pcs   |
| M6*10 Screw                      |    | 4pcs   | 4pcs                       | 0pcs   | 0pcs   | 0pcs   | 0pcs   |
| Hose Clamp                       |    | 2pcs   | 2pcs                       | 0pcs   | 0pcs   | 0pcs   | 0pcs   |
| Brass Shower Arm                 |    | 0pcs   | 0pcs                       | 1pcs   | 1pcs   | 1pcs   | 0pcs   |
| Panel Cotton Bag                 |    | 1pcs   | 1pcs                       | 1pcs   | 1pcs   | 1pcs   | 1pcs   |
| Top Spray Cotton Bag             |    | 1pcs   | 1pcs                       | 0pcs   | 0pcs   | 0pcs   | 0pcs   |
| Battery AA1.5V                   |    | 2pcs   | 2pcs                       | 2pcs   | 0pcs   | 2pcs   | 0pcs   |
| Stainless Steel Water Outlet Arm |   | 0pcs   | 0pcs                       | 0pcs   | 0pcs   | 0pcs   | 1pcs   |
| Brass Hex Nut                    |  | 0pcs   | 0pcs                       | 0pcs   | 0pcs   | 0pcs   | 1pcs   |
| Water Outlet Adapter             |  | 0pcs   | 0pcs                       | 0pcs   | 0pcs   | 0pcs   | 1pcs   |
| Wall Mounted Spray Booth         |  | 0pcs   | 0pcs                       | 0pcs   | 0pcs   | 0pcs   | 1pcs   |

# ASSEMBLY INSTRUCTIONS

## MODEL 6012FL/6002FL/8039FL/8124FL



1  
Insert the PVC pipe from the top opening to pierce out.




2  
Route the LED light wire along the hole insert into the motherboard.




3  
Fix the motherboard and top spray with 4 pairs of M6 screws and nuts.



4  
Fix the PVC pipe with a throat clamp on the top spray joint.



5  
Connect the LED light cable and power supply line.




6  
Load 2 AA batteries into the battery compartment.




7  
Switch the battery box to ON.




8  
Insert the hand spray nozzle into the panel. And install the gasket.




9  
Insert the hand spray nozzle into the panel. And install the gasket.



10  
Put the 4-point rubber into the hand spray. Inside the joint of the seat.



11  
Connect the water outlet connector and hand spray seat joint.



12  
Connect the hand spray hose to the handheld one shower head.


## MODEL 7009FL/7016FL/7002FL



Fix the water outlet arm to the main board.



Connect the top spray and the water outlet arm joint.




Load 2 AA batteries into the battery compartment.




Switch the battery box to ON.




Insert the hand spray nozzle into the panel and install the gasket.




Insert the hand spray nozzle into the panel and install the gasket.



Put the 4-way rubber into the connector of the hand spray seat.



Connect the water outlet connector to the hand spray seat connector.



Connect the hand-held shower hose and the hand-held shower head.

**Note:**7016FL no step 3 and 4.

## MODEL 7015FY




Fix the water outlet arm to the main board with nuts and washers.



Connect the top spray arm and the water outlet arm joint.




Connect the steel wire pipe and the shower arm and tighten it.



Fix the shower outlet connector to the panel with a nut.



Put the 4-way rubber into the shower head connector.




Connect the water outlet connector and the shower head water outlet connector.



Fix the shower head bracket to the wall at the appropriate position with screws and nuts.



Installation of the shower head bracket completed.



Fix the panel to the wall at the appropriate height with the bracket.



Connect the handheld shower head to the hose.




Connect to the handheld shower head.




Installation completed.

## INSTALLATION STEPS (GENERAL)

**Reserved water layout**



**Installation Complete side reference dimension drawing**





### Installation Notes

1. According to the height of the family height budget shower system installation height, measure the shower system on the back of the bar Distance, mark on the wall, in the corresponding position of the tag fixed hanging iron (up and down each one).
2. Connect the hot and cold water hose (be sure to clean the magazine and the dirt in the wall Scale so as not to block, affect the water effect).
3. Shower system hanging on the wall, the upper and lower two cards were clamped in two hanging pastes (Note: shower After the system wall, the main body close to the wall is not shaking, do not need to use another glass glue and other tools fixed).


## Stainless steel shower system maintenance methods:

1. Regular cleaning of the product in order to keep its appearance bright and clean;
2. Clean the surface with water or a mild detergent and wipe it with a soft towel.
3. Note that the clean product of the hidden position, timely cleaning can make products lasting.


### SHOWER PANEL SERIES INSTALLATION DIAGRAM



- 3** First with a hammer will be inflated  
Screw into the wall




**4**



First turn the elbow and the wall pipe connected respectively. And then the hot and cold water pipes and elbows can be connected

**5**


Hang the shower panel on the fasteners




## FUNCTION INTRODUCTION

6002FL / 6012FL










## FUNCTION INTRODUCTION

### 8039FL










## FUNCTION INTRODUCTION

### 7009FL










## FUNCTION INTRODUCTION

8124FL










## FUNCTION INTRODUCTION

7016FL










## FUNCTION INTRODUCTION

7002FL










## FUNCTION INTRODUCTION

7015FY







**Note:** For the detailed installation video, please refer to the corresponding model and scan the QR code below to view.

6002FL / 6012FL



8039FL



8124FL



7009FL



7016FL



7002FL



7015FY



