



Upgrade · The Home Creator Way

SHOWER PANEL TOWER

MODEL:

8015FL、 5017FL、 5005FL、 1049FL、 8004FL、 8009FL、 8108FH

VEVOR Support Center

1	8015FL		2	8009FL	
3	8004FL		4	5017FL	
5	5005FL		6	1049FL	
7	8108FH				



8015FL 5017FL 5005FL 1049FL 8004FL 8009FL 8108FH

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

	Warning-To reduce the risk of injury, user must read instructions manual carefully.
	This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
	This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheeled bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices

INSTRUCTIONS

Warning Tips:

1. Warning-To reduce the risk of injury, user must read instructions manual carefully.
2. The product complies with relevant standards and regulations. Installation of this device must comply with all applicable regulations, and it should only be operated in well-ventilated areas. Please read the user manual before installing and using this equipment.
3. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
4. Children shall not play with the appliance.
5. This appliance shall not be used by children. Keep the appliance and its cord out of reach of children.

6. Please properly keep product. Check whether the product is abnormal before use. If it is abnormal, please stop using it.
7. Please use the product according to the intended use, warn of potential injury from misuse.
8. Read the manual completely to avoid harm, product damage, or warranty avoidance. Seek professional help if you encounter discomfort, pain or worsening symptoms. If necessary, use supervision in order to assemble and use this product correctly and safely. Do not exceed the weight limit.
9. Regularly check for secure assembly and contact support if in doubt. Ensure the product's legs are even and locked before use, and discontinue usage if there are signs of wear, damage, or missing parts. The product is to be used on flat, stable surfaces. Do not disassemble if not necessary, as it might compromise the longevity of the product. Do not modify the product unless specified in the manual.
10. Exercise caution during operation and assembly. Avoid extreme temperatures or open flames. If an allergic reaction occurs, cease use immediately and consult a healthcare professional.
11. Clean regularly using a mild detergent and warm water, rinse off any soap residue. After cleaning, dry thoroughly.
12. During the installation process, it is best to wear gloves to prevent sharp corners on the panel from scratching the palm of the hand.
13. When installing the shower, ensure that all joints are fully tightened to avoid water leakage.
14. Ensure that the red and blue water inlet pipes inside the panel are in a non folded state to avoid affecting water pressure.
15. When the shower is not in use, please close the switch valve of the shower.



SAVE THESE INSTRUCTIONS

INSTALLATION INSTRUCTIONS

Model	8015FL	5017FL	5005FL	1049FL	8004FL	8009FL	8108FH
Mounting Type	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount
Connection Thread	G1/2"	G1/2"	G1/2"	G1/2"	G1/2"	G1/2"	G1/2"
Functions	Four Modes	Three Modes	Five Modes	Five Modes	Six Modes	Six Modes	Six Modes
Tub Spout	×	×	√	√	√	√	√
Temperature Display	×	×	×	×	√	√	√
LED Lamp	×	×	×	×	√	√	√
Power	×	×	×	×	Hydro Power (AC6V)	Hydro Power (AC6V)	Hydro Power (AC6V)
Hand Shower	3-Setting	1-Setting	1-Setting	1-Setting	3-Setting	3-Setting	3-Setting
Finish	Fingerprint-free Brushed Nickel shower system						Black titanium
Material	304 Stainless Steel, Brass, PVC, ABS						

PARTS LIST

MODEL		8015FL 8009FL	1049FL	8004FL	5005FL 5017FL	8108FH
Handheld Shower		1pcs	1pcs	1pcs	1pcs	1pcs
1.5 Meter Hand Spray Hose		1pcs	1pcs	1pcs	1pcs	1pcs
Hand Spray Seat		1pcs	1pcs	1pcs	1pcs	1pcs
1/2 Right Angle Adapter		2pcs	2pcs	2pcs	2pcs	2pcs
4-Point Rubber		2pcs	2pcs	2pcs	2pcs	2pcs
Self Tapping Screw		4pcs	4pcs	4pcs	4pcs	4pcs
Fastener		2pcs	2pcs	2pcs	2pcs	2pcs

MODEL		8015FL 8009FL	1049FL	8004FL	5005FL 5017FL	8108FH
Grommet		1pcs	1pcs	1pcs	1pcs	1pcs
Hexagon Nut		1pcs	1pcs	1pcs	1pcs	1pcs
M6 Nut		4pcs	4pcs	0pcs	4pcs	4pcs
M6*10 Screw		4pcs	4pcs	0pcs	4pcs	4pcs
Hose Clamp		2pcs	2pcs	2pcs	2pcs	2pcs
M4*10 Screw		0pcs	0pcs	2pcs	0pcs	0pcs
Panel Cotton Bag		1pcs	1pcs	1pcs	1pcs	1pcs
Top Spray Cotton Bag		1pcs	1pcs	1pcs	1pcs	1pcs

ASSEMBLY INSTRUCTIONS

Model 8015FL/5017FL/5005FL/1049FL




1 Insert the PVC pipe from the top opening to pierce out.




2 Fix the motherboard and top spray with 4 pairs of M6 screws and nuts.



3 Fix the PVC pipe with a throat clamp on the top spray joint.



4 Insert the hand spray nozzle into the panel and install the gasket.




5 Spray socket with hexagonal nut handle fixed on the panel.



6 Put the 4-point rubber into the hand spray inside the joint of the seat.



7 Connect the water outlet connector and hand spray seat joint.



8 Connect the hand spray hose to the handheld one shower head.

MODEL 8108FH 8009FL



1
Insert the PVC pipe from the top opening to pierce out.



2
Remove the top spray cover.



3
Route the led light wire along the hole insert into the motherboard.



4
Fix the motherboard and top spray with 4 pairs of M6 screws and nuts.




5
Fix the PVC pipe with a throat clamp on the top spray joint.




6
Fix the top spray cover plate well.




7
Connect the LED light cable and power Supply line.




8
Insert the hand spray nozzle into the panel and install the gasket.




9
Insert the hand spray nozzle into the panel and install the gasket



10
Put the 4-point rubber into the hand spray Inside the joint of the seat.




11
Connect the water outlet connector and hand spray seat joint.



12
Connect the hand spray hose to the handheld one shower head.

Note: 8009FL no step 2, no step 6.


MODEL 8004FL




1
Insert the top spray into the mother board inside the hole.




2
Use 2 M4 screws to secure the main fixed plate and top spray.



3
Connect PVC pipes and LED light wires thread through the hole.




4
Fix the PVC pipe with a throat clamp on the top spray joint



5
Connect the LED light cable and power supply line



6
Insert the hand spray nozzle into the panel and install the gasket




7
Spray socket with hexagonal nut handle fixed on the panel.



8
Spray socket with hexagonal nut handle fix the 4-point rubber on the panel and spray it by hand inside the joint of the seat.




9
Connect the water outlet connector and hand spray seat joint.




10
Connect the hand spray hose to the handheld one shower head.

INSTALLATION STEPS (GENERAL)

Reserved water layout



Installation Complete side reference dimension drawing



Installation Notes



1. According to the height of the family height budget shower system installation height, measure the shower system on the back of the bar Distance, mark on the wall, in the corresponding position of the tag fixed hanging iron (up and down each one).
2. Connect the hot and cold water hose (be sure to clean the magazine and the dirt in the wall Scale so as not to block, affect the water effect).
3. Shower system hanging on the wall, the upper and lower two cards were clamped in two hanging pastes (Note: shower After the system wall, the main body close to the wall is not shaking, do not need to use another glass glue and other

tools fixed).


Stainless steel shower system maintenance methods:

1. Regular cleaning of the product in order to keep its appearance bright and clean;
2. Clean the surface with water or a mild detergent and wipe it with a soft towel.
3. Note that the clean product of the hidden position, timely cleaning can make products lasting.


SHOWER PANEL SERIES INSTALLATION DIAGRAM



- 3** First with a hammer will be inflated
Screw into the wall




4



First turn the elbow and the wall pipe connected respectively. And then the hot and cold water pipes and elbows can be connected


5


Hang the shower panel on the fasteners




FUNCTION INTRODUCTION

8015FL










FUNCTION INTRODUCTION

5017FL










FUNCTION INTRODUCTION

5005FL










FUNCTION INTRODUCTION

1049FL









FUNCTION INTRODUCTION

8004FL










FUNCTION INTRODUCTION

8009FL









FUNCTION INTRODUCTION

8108FH







Note: For the detailed installation video, please refer to the corresponding model and scan the QR code below to view.

8015FL



5017FL



5005FL



1049FL



8004FL



8009FL



8108FH



